

## U150 / 450 Options

### Table of Contents

**For Ultra Enterprise 1 & 2 Options, Please see Section 1, "Workstation Options"**

#### **Internal Options**

CPU Modules . . . . .	3-14
Memory . . . . .	3-14
Storage Expansion Kit . . . . .	3-14
Internal Mass Storage . . . . .	3-14
SBus . . . . .	3-15
PCI Bus . . . . .	3-16

#### **External Options**

External Mass Storage . . . . .	3-17
Enterprise Tape Libraries . . . . .	3-17
Expansion Drives For Desktop MultiPacks . . . . .	3-17
SPARCstorage UniPacks . . . . .	3-18
SPARCstorage FlexiPacks . . . . .	3-19
Expansion Drives For SPARCstorage FlexiPacks . . . . .	3-19
Packaging . . . . .	3-20
Cables & Accessories . . . . .	3-20
Monitors . . . . .	3-20
Graphic Accelerators . . . . .	3-20
Input Devices . . . . .	3-20

SPARCstorage Arrays - Please See Section 4, "SPARCstorage Arrays"

RSM Arrays - Please See Section 4, "SPARCstorage Arrays"

**This page is intentionally blank.**

<b>U150 / 450 Options</b>
---------------------------

An "S" denotes compatibility with Netra NFS 150.

Option	Description	List Price	Discount Category	UE 150	UE 450
<b>CPU MODULES</b>			Internal Options		
(X)2230A	CPU Module: UltraSPARC-II 250MHz/1MB w/ DC/DC converter	\$5,500	A		✓ ▲
(X)2240A	CPU Module: UltraSPARC-II 300MHz/2MB w/ DC/DC converter	\$10,000	A		✓ ▲
<b>MEMORY</b>			Internal Options		
(X)7002A	Memory Expansion: 64MB (2 x 32MB ECC SIMMs)	\$1,000	A*	✓ +	✓ ●
(X)7003A	Memory Expansion: 128MB (2 x 64MB ECC SIMMs)	\$2,000	A*	✓ +	✓ ●
(X)7004A	Memory Expansion: 256MB (2 x 128MB ECC SIMMs)	\$5,800	A*	✓ +	✓ ●
<b>STORAGE EXPANSION KIT</b>			Internal Options		
(X)6600A	8-bay internal storage expansion option; disk drives are not included <b>NOTE:</b> 1 required for 5-12 disk drives, 2 for 13-20 disk drives. Maximum 2 per system. Each one uses 1 PCI slot (32 or 64-bit). Requires a second power supply.	\$1,495	A		✓
<b>INTERNAL MASS STORAGE</b>			Internal Options		
(X)5214A	Internal Disk Drive: 4.2GB 7200 RPM SCSI-2 <b>NOTE:</b> UE 450: 1 is included in base system. May be added individually. Maximum 20 per system.	\$1,300	A*	✓ S	✓
(X)5251A	Internal Disk Drive: 9.1GB 7400 RPM Fast/Wide SCSI-2	\$2,200	A*	✓	
X6001A	Internal Floppy Disk Drive: 1.44MB for UE 150 <b>NOTE:</b> UE 150: 1 is included in base system	\$150	A	✓	
(X)6107A	Internal Tape Drive: 4-8GB SLR for U450	\$950	N/C		✓
6165A	Internal CD Drive: Sun CD 12 for NFS 150	\$300	A	S	
(X)6213A	Internal Tape Drive: 7-14GB 8mm 8705DB for E3000/4000	\$1,925	A	✓	✓
(X)6286A	Internal Tape Drive: 12-24GB 4mm DDS-3 for E150/450 <b>NOTE:</b> Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$1,800	A	✓ S	✓
(X)6507A(R4/5)	Internal Disk Drive: 12.6GB (3 x 4.2GB 7200 RPM Fast/Wide SCSI-2)	\$9,650	A		✓
(X)6508A(R4/5)	Internal Disk Drive: 29.4GB (7 x 4.2GB 7200 RPM fast/wide SCSI-2)	\$15,850	A		✓
(X)6520A	Internal Disk Drive: 2.1GB 7200 RPM Fast/Wide SCSI-3	\$950	A*	✓ S	

▲ UE450: Up to 3 CPUs can be added. All additional CPUs must match the CPU in the base system. If 4 CPUs are installed, a second power supply must be ordered.

+ E150: Base system does not include memory; SIMMs must be added in pairs.

● UE450: Base system includes 4 identical DIMMs. Maximum of 16 DIMMs. DIMMs must be added in matched groups of 4.

**NOTE:** Add "X" in front of an Order Number for a standalone order for existing systems. \* Maximum discount may apply.

Append "R4" for factory-installation in System Cabinet, "R5" in Expansion Cabinet.

<b>U150 / 450 Options</b>
---------------------------

An "S" denotes compatibility with Netra NFS 150.

Option	Description	List Price	Discount Category	UE 150	UE 450
<b>SBUS</b>		<b>Internal Options</b>			
X1004A	Token Ring Interface / SBus (TRI/S) for Solaris 1.x <b>NOTE:</b> Requires Solaris 1.1.1 version B or later.	\$1,495	B	S	
(X)1008A	SBus Serial Parallel Controller (SPC/S) <b>NOTE:</b> Requires Solaris 1.x, Solaris 2.3 or later.	\$1,095	A	✓	
(X)1012A	Sun ISDN Expansion Kit 1.0.3: H/W, Media, Documentation, Single-SBus License Sun ISDN Expansion Kit, Sun ISDN Card, Certification Labels, & SunLink ISDN Enabling Kit 1.0.3 <b>NOTE:</b> Requires Solaris 2.3 or higher. In North America, a Network Termination (NT1) device is required; available from third-party vendors.	\$595	A	✓	
(X)1014A	Token Ring Interface/SBus (TRI/S) SBus-based Token Ring adapter, TCP/IP driver software on CD-ROM and 3.5" diskette media, and documentation <b>NOTE:</b> Requires Solaris 2.2 or higher	\$1,350	B	✓ S	
(X)1018A	SunSwift 100BaseT Fast/Wide SCSI SBus Adapter <b>NOTE:</b> Requires 2.5 or later.	\$1,095	A	✓	
(X)1019A	High-Speed Serial Interface (HSI/S), media and documentation <b>NOTE:</b> Requires Solaris 2.2 or higher	\$2,275	B	✓	
(X)1021A	SBus Prestoserve NFS Accelerator	\$2,995	A	✓	
(X)1025A	SunFDDI Single-Attach SBus Adapter (SAS) 5.0 <b>NOTE:</b> Requires Solaris 2.5 or later.	\$2,500	A	✓ S	
(X)1026A	SunFDDI Dual-Attach SBus Adapter (DAS) 5.0 <b>NOTE:</b> Requires Solaris 2.5 or later.	\$3,775	A	✓ S	
X1030A	PCMCIA Interface/SBus Card	\$295	A	✓	
(X)1049A	Quad FastEthernet SBus Card (QFE). Supports Sun Trunking 1.0 Software	\$1,995	A	✓ S	
(X)1053A	SBus Fast SCSI-2/Buffered Ethernet Card (FSBE/S)	\$1,095	A	✓	
(X)1054A	SBus SCSI/Buffered Ethernet Card (SBE/S)	\$1,095	A	✓	
X1055A	SBus SCSI Host Adapter	\$495	A	✓ S	
(X)1059A	SunFastEthernet 10/100 SBus Adapter 2.0 <b>NOTE:</b> Requires Solaris 2.5 or later.	\$795	A	✓ S	
(X)1060A	SunATM-155/MFiber SBus Adapter 2.0 <b>NOTE:</b> Requires 2.4, Hardware: 11/94 or later	\$1,295	A	✓ S	
(X)1061A	SunATM/UTP5 SBus Adapter 2.0 <b>NOTE:</b> Requires 2.4, Hardware: 11/94 or later	\$995	A	✓ S	
(X)1062A	SBus Differential Fast/Wide Intelligent SCSI-2 host adapter (DWIS/S) <b>NOTES:</b> Requires Solaris 2.3 or higher. To connect 2 SCSI trays or two 4.2GB disk cards, you must order DSCSI cable X977A.	\$1,295	A	✓	
(X)1063A	SBus Single-Ended Fast/Wide Intelligent SCSI-2 Host Adapter (SWIS/S) card <b>NOTES:</b> Supported only with the 4.2 GB Fast Wide SCSI-2 Disk Card. Requires Solaris 2.3 or higher.	\$1,195	A	✓ S	
(X)1064A	SunATM-622/MFiber SBus Adapter <b>NOTE:</b> Requires Solaris 2.4, Hardware: 11/94 or later. No DR support	\$4,995	A	✓	
X1129A-4.2-P	SunPC 133-MHz X86 card with SunPC 4.2 software. <b>NOTE:</b> Requires Solaris 2.4 or later, a minimum of 32MB RAM (48MB recommended), 12MB FOR SunPC/MS-DOS plus 10MB for Microsoft Windows, 2MB standard up to 16MB extended/expanded memory (8-16MB recommended)	\$395	A	✓	

**NOTE:** Add "X" in front of an Order Number for a standalone order for existing systems. \* Maximum discount may apply.

<b>U150 / 450 Options</b>
---------------------------

An "S" denotes compatibility with Netra NFS 150.

Option	Description	List Price	Discount Category	UE 150	UE 450
<b>PCI BUS</b>			<b>Internal Options</b>		
(X)1032A	SunSwift 10/100BaseT Fast/Wide Ultra SCSI PCI Adapter 1.0 <b>NOTE:</b> Requires Solaris 2.5 and 2.5.1 SHW	\$995	A		10
(X)1033A	10/100BaseT FastEthernet PCI adapter 2.0 with MII	\$695	A		10
(X)1034A	Quad FastEthernet PCI Card (QFE)	\$1,795	A		4
(X)1035A	Sun FDDI/PCI Single-Attach PCI Bus Interface Adapter 1.0 <b>NOTE:</b> Requires Solaris 2.5.1 hardware 4/97 or later; a Sun PCI desktop or server.	\$2,295	A		4
(X)1036A	Sun FDDI/PCI Dual-Attach PCI Bus Interface Adapter 1.0 <b>NOTE:</b> Requires Solaris 2.5.1 hardware 4/97 or later; a Sun PCI desktop or server.	\$3,395	A		4
(X)1039A	Token Ring Interface PCI Bus adapter 1.0	\$1,195	A		4
(X)1040A	Sun High-Speed Serial Interface (HSI) PCI Bus Adapter 1.0 <b>NOTE:</b> Requires Solaris 2.5.1 hardware 4/97 or later; a Sun PCI desktop or server.	\$1,995	A		4
(X)1041A	Serial Asynchronous Interface PCI Bus adapter 1.0	\$995	A		4
(X)1044A	Sun Gigabit Ethernet /P 1.0 Interface PCI Card	\$2,095	A		3
(X)6540A	Dual Channel Single-Ended UltraSCSI Host Adapter, PCI	\$750	A		10
(X)6541A	Dual Channel Differential UltraSCSI Host Adapter, PCI	\$1,440	A		10

## U150 / 450 Options

An "S" denotes compatibility with Netra NFS 150.

Option	Description	List Price	Discount Category	UE 150	UE 450
<b>EXTERNAL MASS STORAGE</b> External Options					
X5511A +	MultiPack: 4.2GB (2 x 2.1GB) 7200 RPM Fast/Wide SCSI-2 with 68-68 pin SCSI cable.	\$2,900	A*	✓	✓
X5512A +	MultiPack: 12.6GB (6 x 2.1GB) 7200 RPM Fast/Wide SCSI-2 with 68-68 pin SCSI cable.	\$6,700	A*	✓ S	✓
X5513A +	MultiPack: 25.2GB (12 x 2.1GB) 7200 RPM Fast/Wide SCSI-2 with 68-68 pin SCSI cable.	\$12,400	A*	✓ S	✓
X5514A ●	MultiPack: 8.4GB (2 x 4.2GB) 7200 RPM Fast/Wide SCSI-2	\$3,600	A*	✓	✓
X5515A ●	MultiPack: 25.2GB (6 x 4.2GB) 7200 RPM Fast/Wide SCSI-2	\$8,800	A*	✓	✓
X5516A ●	MultiPack: 50.4GB (12 x 4.2GB) 7200 RPM Fast/Wide SCSI-2	\$16,600	A*	✓	✓
(X)6071A(R5)	Tape Autoloader: 140-280GB DLT4700 in desktop enclosure with both 50-50 and 50-68 pin SCSI cables. <b>NOTE:</b> Requires Solaris 2.4 or higher.	\$13,500	A	✓ S	✓
X6227A ●	SPARCstorage Library: 140GB 8mm w/ 1 tape drive, Tower Unit	\$8,200	A	✓ S	✓
X6527A ▲	MultiPack 2: 18.2GB (2 x 9.1) 7200 RPM 3.5" SCA w/ UltraSCSI Interface	\$5,400	A*	✓	✓
X6528A ▲	MultiPack 2: 36.4GB (4 x 9.1) 7200 RPM 3.5" SCA w/ UltraSCSI Interface	\$9,800	A*	✓	✓
X6529A ▲	MultiPack 2: 54.6GB (6 x 9.1) 7200 RPM 3.5" SCA w/ UltraSCSI Interface	\$14,200	A*	✓	✓
SG-XLIB3MM1-400G ■	SPARCstorage Library: 400-800 GB 8mm Model 8/400 w/ 2 tape drives, Tower Unit	\$23,500	A	✓ S	✓
<b>ENTERPRISE TAPE LIBRARIES</b> External Options					
X6063A ■	DLT7000 drive option for the ETL 4/1800 and ETL 7/3500 <b>NOTE:</b> Requires SCSI Cable X979A for every 2 ordered	\$13,500	A	For the ETL 4/1800 and ETL 7/3500	
X6073A ■ ▼	ETL 4/1800, 2 DLT7000 Tape Drives, 52 slots	\$72,000	A	✓ S □	✓ □
X6074A ■ ▼	ETL 4/1800, 4 DLT7000 Tape Drives, 52 slots	\$99,000	A	✓ S □	✓ □
X6075A ■ ▼	ETL 7/3500, 2 DLT7000 Tape Drives, 100 slots	\$85,000	A	✓ S □	✓ □
X6076A ■ ▼	ETL 7/3500, 7 DLT7000 Tape Drives, 100 slots	\$152,500	A	✓ S □	✓ □
X979A ■	12-Meter Differential SCSI Cable	\$265	N/D		
<b>EXPANSION DRIVES FOR DESKTOP MULTIPACKS</b> External Options					
X5214A	Internal 4.2GB (7200 RPM Fast/Wide SCSI-2 Disk Drive)	\$1,400	A	For Desktop MultiPack 12	
X5251A	Internal 9.1GB (7200 RPM Fast/Wide SCSI-2 Disk Drive)	\$2,320	A	For Desktop MultiPack 6	
X6520A	Internal 2.1GB (7200 RPM Fast/Wide SCSI-3 Disk Drive)	\$950	A	For Desktop MultiPack 12	

+ Requires 68-68 pin cable to connect a UniPack/FlexiPack to another UniPack/FlexiPack or to a SWIS/S Host Adapter

● Requires 50-68 pin cable to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack

▲ Requires a SWIS/S Host Adapter with Solaris 2.3 or later for Wide SCSI functionality

■ Requires Solaris 2.5 or later

▼ Requires DWIS/S host adapter(s) for every 2 drives

□ Requires multi-host attachment (2 systems or more attached to library)

**NOTE:** Add "X" in front of an Order Number for a standalone order for existing systems. \* Maximum discount may apply.

## U150 / 450 Options

An "S" denotes compatibility with Netra NFS 150.

Option	Description	List Price	Discount Category	UE 150	UE 450
<b>SPARCstorage UNIPACKS</b>			<b>External Options</b>		
X5151A +	UniPack: 2.1GB 7200 RPM Fast/Wide SCSI-2 with 68-68 pin SCSI cable	\$1,175	A*	✓ ▲	✓ ▲
X5152A ●	UniPack: 2.1GB 7200 RPM Fast/Wide SCSI-2 with 50-68 pin SCSI cable	\$1,175	A*	✓ ▲	
X5209A +	UniPack: 4.2GB 7200 RPM Fast/Wide SCSI-2 with 68-68 pin SCSI cable.	\$1,525	A*	✓ ▲	✓ ▲
X5213A ●	UniPack: 4.2GB 7200 RPM Fast/Wide SCSI-2 with 50-68 pin SCSI cable.	\$1,525	A*	✓ ▲	
X5253A +	UniPack: 9.1GB 7200 RPM Fast/Wide SCSI-2 with 68-68 pin SCSI cable.	\$2,425	A*	✓ ▲	✓ ▲
X5254A ●	UniPack: 9.1GB 7200 RPM Fast/Wide SCSI-2 with 50-68 pin SCSI cable.	\$2,425	A*	✓ ▲	
X6108A	UniPack: 4-8 GB SLR with 68-68 pin SCSI cable	\$1175	N/C	✓ ▲	✓ ▲
X6109A ●	UniPack: 4-8 GB SLR with 50-68 pin SCSI cable	\$1175	N/C	S	
X6157A +	UniPack: SunCD 12 with 68-68 pin SCSI cable <b><u>NOTE:</u></b> Solaris 1.1.1 or later, or Solaris 2.4 or later required.	\$525	A*	✓ ▲	✓ ▲
X6158A ●	UniPack: SunCD 4 with 50-68 pin SCSI cable <b><u>NOTE:</u></b> Solaris 1.1.1 or later, or Solaris 2.4 or later required.	\$525	A*	✓	
X6208A +	UniPack: 14GB 8mm w/ 68-68pin SCSI cable	\$2,150	A	✓ ▲	✓ ▲
X6209A ●	UniPack: 14GB 8mm w/ 50-68pin SCSI cable	\$2,150	A	S	
X6230A +	UniPack: 20-40GB 8mm with 68-68 pin SCSI cable. <b><u>NOTE:</u></b> Requires Solaris 2.5 or later.	\$5,625	A	✓ ▲	✓ ▲
X6231A ●	20-40GB 8mm with 50-68 pin SCSI cable. <b><u>NOTE:</u></b> Requires Solaris 2.5 or later.	\$5,625	A	✓ S ▲	
X6261A +	UniPack: 4-8GB 4mm DDS-2 w/ 68-68pin SCSI cable	\$1,475	A	✓ ▲	✓ ▲
X6262A ●	UniPack: 4-8GB 4mm DDS-2 w/ 50-68pin SCSI cable	\$1,475	A	S	
X6280A + ▲	UniPack: 12-24GB 4mm DDS-3 with 68-68 pin SCSI cable. <b><u>NOTE:</u></b> Requires Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,025	A*	✓	✓
X6281A ●	UniPack: 12-24GB 4mm DDS-3 with 50-68 pin SCSI cable. <b><u>NOTE:</u></b> Requires Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,025	A*	S	

+ Requires 68-68 pin cable to connect a UniPack/FlexiPack to another UniPack/FlexiPack or to a SWIS/S Host Adapter

● Requires 50-68 pin cable to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack

▲ Requires a SWIS/S Host Adapter with Solaris 2.3 or later for Wide SCSI functionality

**NOTE:** Add "X" in front of an Order Number for a standalone order for existing systems. \* Maximum discount may apply.

## U150 / 450 Options

An "S" denotes compatibility with Netra NFS 150.

Option	Description	List Price	Discount Category	UE 150	UE 450
<b>SPARCstorage FLEXIPACKS</b>			<b>External Options</b>		
X6057A +	20-40GB DLT4000 FlexiPack tape w/ 68-68pin SCSI cable	\$6,400	A*	✓	✓
X6058A ●	20-40GB DLT4000 FlexiPack tape w/ 50-68pin SCSI cable	\$6,400	A*	S	
X6060A +	35-70GB DLT7000 FlexiPack tape w/ 68-68pin SCSI cable	\$10,900	A*	✓	✓
X6061A ●	35-70GB DLT7000 FlexiPack tape w/ 50-68pin SCSI cable	\$10,900	A*	S	
X6110A +	4-8 GB SLR Tape Drive FlexiPack with 68-68 pin SCSI cable & 1 open half-height Expansion Bay	\$1,450	A	✓	✓
X6111A ●	4-8 GB SLR Tape Drive FlexiPack with 50-68 pin SCSI cable & 1 open half-height Expansion Bay	\$1,450	A	S	
X6159A +	SunCD 12 FlexiPack w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$700	A*	✓	✓
X6160A ●	SunCD 12 FlexiPack w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$700	A*	S	
X6210A +	14GB 8mm FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,425	A	✓	✓
X6211A ●	14GB 8mm FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,425	A	S	
X6232A +▲	20-40GB 8mm FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay <i><b>NOTE:</b> Requires Solaris 2.5 or later.</i>	\$5,900	A	✓	✓
X6233A ●	20-40GB 8mm FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay <i><b>NOTE:</b> Requires Solaris 2.5 or later.</i>	\$5,900	A	S	
X6263A +	4-8 GB 4mm DDS-2 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$1,750	A	✓	✓
X6264A ●	4-8 GB 4mm DDS-2 FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$1,750	A	S	
X6284A +	12-24GB 4mm DDS-3 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,300	A	✓	✓
X6285A ●	12-24GB 4mm DDS-3 FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,300	A	S	
X6290A +	72-144GB 4mm DDS-3 FlexiPack autoloader tape w/ 68-68pin SCSI cable	\$4,550	A	✓	✓
X6291A ●	72-144GB 4mm DDS-3 FlexiPack autoloader tape w/ 50-68pin SCSI cable	\$4,550	A	S	
<b>EXPANSION DRIVES for SPARCstorage FLEXIPACKS</b>			<b>External Options</b>		
X6106A	4-8 GB internal SLR drive for Ultra 30	\$950	N/C	✓ S	✓
X6161A	SunCD 12 internal CD-ROM drive for the FlexiPack	\$300	A	✓ S	✓
X6236A ▲	20-40GB 8mm internal tape drive for the FlexiPack	\$5,400	A	✓ S	✓
X6265A	4-8GB 4mm DDS-2 FlexiPack internal tape drive for the FlexiPack	\$1,250	A	✓ S	✓

+ Requires 68-68 pin cable to connect a UniPack/FlexiPack to another UniPack/FlexiPack or to a SWIS/S Host Adapter

● Requires 50-68 pin cable to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack

▲ Requires a SWIS/S Host Adapter with Solaris 2.3 or later for Wide SCSI functionality

**NOTE:** Add "X" in front of an Order Number for a standalone order for existing systems. \* Maximum discount may apply.



<b>U150 / 450 Options</b>
---------------------------

An "S" denotes compatibility with Netra NFS 150.

Option	Description	List Price	Discount Category	UE 150	UE 450
<b>PACKAGING</b>		Internal Options			
(X)956A	56" Enterprise Expansion Cabinet. Includes cabinet fan tray, universal sequencer, one control cable, no inlet power cable.	\$8,000	A	✓	✓
X9601A	Air Baffle for Enterprise Expansion Cabinet	\$50	A	For Expansion Cabinet	
X9690A	Rack-mounting Kit for UE450	\$995	A		✓
<b>CABLES &amp; ACCESSORIES</b>		Internal Options			
(X)3800A	Power Cord for Enterprise System and Expansion Cabinets, U.S. Version (NEMA L6-30P plug)	N/C	-		✓
X3848A	Power Cord for Enterprise System and Expansion Cabinets, International Version (IEC 309 plug, 32A, 250V)	N/C	-		✓
X467A	MII to AUI Converter Cable	\$295	A	✓	
(X)9682A	560W Power supply for U450 <i><b>NOTE:</b></i> Maximum 3 per system (3rd one for redundancy). 2 required for 4 CPUs or more than 4 internal disks.	\$1,495	A		✓
(X)976A	Centronics-compatible Parallel Port Adapter Cable	\$75	B	✓ S	✓
X979A	12-Meter Differential SCSI Cable	\$265	N/D		
X981A	AUI Adapter Cable	\$75	B	✓ S	✓
X985A	Serial Port "Y" Splitter Cable	\$50	D	✓ S	✓
<b>MONITORS</b>		External Options			
X267A	20" Color monitor	\$2,100	A	✓ S	✓
X268A	17" Premium color monitor	\$1,400	A	✓ S	✓
X7103A	17-inch Entry Level Color Monitor	\$900	A	✓ S	✓
X7124A	24" Wide screen color monitor	\$4,000	A	✓ S	✓
<b>GRAPHIC ACCELERATORS</b>		External Options			
(X)3655A	TurboGXplus 8-bit color graphics card, cables and documentation	\$2,050	A	✓ S	
X3658A	Creator, series 2, 24-bit color graphics accelerator, vertical board & cable	\$1,550	A	✓	
X3659A	Creator3D, series 2, 24-bit color graphics accelerator, vertical board & cable	\$2,550	A	✓	
(X)3660A	PGX Color Frame Buffer & Cable	\$1,050	A	✓	✓
X7110A	TurboGX frame buffer & cable	\$1,050	A	S	
<b>INPUT DEVICES</b>		External Options			
X180A	Sunbuttons - 32-Key Function I/O Device	\$1,400	A	✓	✓
X190A	SunDials - 8-dial interactive graphics I/O device for 3D	\$1,800	A	✓	

▼ Must appear on order

**NOTE:** Add "X" in front of an Order Number for a standalone order for existing systems. \* Maximum discount may apply.